



FF&E STANDARDS DOCUMENTATION ADMINISTRATIVE APPLICATIONS

Item: Long Term (Staff) Task Seating, Option #1

Applications: Staff Offices and Workstations, Executive Offices

Product Specifications:

Vendor: KI

Product Name: Impress Ultra Task Chair with Arms, Mid-back

Model Number: KI74/JR69

Details: All chairs shall have black mesh back and upholstered seat cushion, and 4D adjustable armrests. Seat height range shall be 16-3/4" - 19-1/2". Adjustable seat depth and back height. All finishes shall comply with District Standards.





FF&E STANDARDS DOCUMENTATION ADMINISTRATIVE APPLICATIONS

Item: Long Term (Staff) Task Seating, Option #2

Applications: Staff Offices and Workstations, Executive Offices

Product Specifications:

Vendor: KI

Product Name: Diem Task Chair with Arms

Model Number: KIDE84C

Details: All chairs shall have mesh back and upholstered seat cushion, fully adjustable T-arms, weight activated mechanism, 5-star base w/casters, seat height adjustment from 18-1/4" - 23"H, seat depth adjustment and backrest with tilt. All finishes shall comply with District Standards.





FF&E STANDARDS DOCUMENTATION ADMINISTRATIVE APPLICATIONS

Item: Long Term (Staff) Task Seating, Option #3 REV 1

Applications: Staff Offices and Workstations, Executive Offices

Product Specifications:

Vendor: KI

Product Name: Signia Task Chair with Arms

Model Number: KISN88MC2

Details: All chairs shall have mesh back and upholstered seat cushion, advanced synchro tilt mechanism, lumbar support (when available), seat depth adjustment, 4D adjustable arms, and 5-star poly base w/dual surface casters. Height range shall be 21.75" to 29.5". All finishes shall comply with District Standards.





FF&E STANDARDS DOCUMENTATION ADMINISTRATIVE APPLICATIONS

Item: Guest Chair

Applications: Offices, Workstations

Product Specifications:

Vendor: KI

Product Name: Katera Guest Chair, Arm and Armless

Model Number: Varies by style

Details: All chairs shall have poly back & seat. Back within Executive Offices may be wood, with upholstered seat. Base shall be chrome. All finishes shall comply with District Standards.

